

## How to install your MoodleMobile

This block has been written for use with the Moodle Virtual Learning (VLE).

### System Requirements

JANET txt, SOAP/XML enabled account  
Moodle 1.8+  
PHP 4 or 5  
DOMXML and Curl extensions

The extensions should be included with most binary builds of PHP on windows systems; linux users might need to install additional package(s). eg on CentOS 4 the php-domxml rpm will need to be installed, for CentOS 5, use the php-xml package.

If you are installing PHP from source, make sure you use the --with-dom --with-zlib --with-curl build options.

### Instructions for installation

- 1) Copy the directory containing this readme file (or unzip the original download) into the Moodle/blocks directory of your Moodle installation.
- 2) Open your web browser and go to /admin on your Moodle server, if necessary login using an account with admin privileges. The block should now automatically install itself.
- 3) Assuming there were no error messages from the previous step, go to modules>blocks from the site administration menu. Find the MoodleMobile Messaging block (this may be called "pageone") and click associated the settings link.
- 4) Choose a method for identifying the mobile phone number from the Moodle user database and fill in your PageOne account details.
- 5) Ignore the MSISDN option for now.
- 6) Click Save changes.
- 7) You can now add MoodleMobile messaging blocks to courses in the normal way and tutors should be able to send text messages.
- 8) If you want you can return to the block configuration page to set the default MSISDN tag for the block, this option will now show a drop down box of the tags available for your account.